







UV Layer

The top layer of UV coating on the screen serves its main function to protect the flooring from scratches and stains. Consequently, Vinyl flooring is not only durable but also easy to clean.

Wear Layer

It serves the same function as the UV layer, enhancing durability during use.

Print Film

This section is where Vinyl flooring decorations ar crafted, resulting in diverse, colorful, and textured appearances.

SPC

The core or base material located in the fourth layer.
This is where synthetic rubber mixed with plastic
is situated, giving Vinyl flooring its strong and
flexible characteristics.




Winter Oak

AL 01

Suitable for Office Studio Room Waiting Room

Thickness





Grey Walnut

AL 02





Travertine oak

AL 03

Suitable for Studio Room Office Room Waiting Room

Thickness





Natural Oak

AL 04

Suitable for

Bed Room Living Room Kitchen Room

Thickness





Natural Maple

AL 10

Suitable for Office Room Lobby Kitchen Room

Thickness


5mm



Oregon Oak

AL 05





Japanes Oak

AL 06

Suitable for Office Room Lobby Kitchen Room

Thickness

5mm

English Walnut

AL 07







Cherry Oak

AL 11

Suitable for

Office Room Lobby Kitchen Room

Thickness

5mm





Ikoro Teak

AL 12

Suitable for

Office Room Lobby Kitchen Room

Thickness

5mm



American Walnut

AL 14

Suitable for





Ash Grey

AL 15

Suitable for

Office Room Lobby Kitchen Room

Thickness





Concrete Stone

ALS 13

Suitable for





Light Cement

ALS 09

Suitable for

Industrial Office Room Nature Room

Thickness

5mm



Grey Cement

ALS 08


Suitable for

Industrial Office Room Nature Room Thickness 5mm

BEFORE

AFTER





30,5 cm 60,9 cm wear layer 0,3mm **PURE** Thickness 5mm

Thickness 5mm, 1 Box fill with 10 pcs - 1,86m²



THANK YOU